

### ABSTRACT

A process for the preparation of low molecular weight linear alpha olefins is disclosed. The process comprises oligomerising ethylene in an inert aliphatic or aromatic solvent in the presence of a catalyst comprising of a first component selected from zirconium alkoxide and zirconium aryloxyde and a second component selected from alkyl aluminum halide and /or alkyl aluminum.

09938122.082301  
10E280" 22T8E660